

Fittings



Fittings

Fittings Properties

Material	Color	Temp. Range
Aluminum	Black	5°– 80°C





















Nipples

- Our fittings you will find in size M5 to G3/8"
- Our fittings for fit to vacuuum cups
- Fittings Black anodized with locking ring and mesh filter



Fittings

Order Information

Picture	Article No.	Description	Use with Cup	Pcs. / Box	Family	Dimension in mm
	15015-20	M5, O-Ring	15-10 15-15 25-15	50	F01	
	25020-20	G1/8" - M	5-20 5-30 10-20 10-30 15-20 25-20 25-25 25-30 25-35P	50	F02	
	25020-21	G1/8" - F				
	25040-20	G1/4" - M	5-40 10-40 15-30 15-40 25-35 25-40 25-45	30	F03	
	25040-21	G1/4" - F				
	25050-20	G3/8" - M	15-50 25-50 25-55	36	F04	
	25050-21	G3/8" - F				
	25050-22	G1/4" - M			F05	
	25050-23	G1/4" - F				

For more information and dimensions please contact sales@flexyvacuumcups.com

Order Information

Picture	Article No.	Description	Use with Cup	Pcs. / Box	Family	Dimension in mm
	25040-22	G1/8" - M	5-40 10-40 15-30 15-40 25-35 25-40 25-45	50	F07	
	25040-23	G1/8" - F				
	25050-26	G1/8" - M	15-50 25-50 25-55	50	F06	
	25050-27	G1/8" - F				
	25040-G2M	G1/4" - M	VF33	50	F08	
	25040-G2F	G1/4" - F				

remark : red color is not available now

For more information and dimensions please contact sales@flexyvacuumcups.com