

# Flexy Traction™ CombiFlex with Single and Dual Shore – 1.5 Bellows





#### **Vacuum Cup Properties**

Material	Color	Temp. Range	Shore Hardness
Polyurethane	Dark Blue / Blue	5°- 50°C	30°/60° Shore A







### 20 Series - Flexy Traction Cups

- Our 20 Series "Flexy Traction" you will find in the sizes from Ø 30 mm to Ø 100 mm .
- Normally our polyurethane vacuum cups will last 3-4 times longer than the cups made of rubber or other vulcanized materials. This means less "down time" but more "turn over" with increased productivity.
- Key characteristics are good resilience or flexibility, high tensile strength with high wear and tear resistance. Comparing to other famous brand names, our product quality is comparable or even better
- The 20 Series cups are specially designed to cope with both flat and a bit curved surfaces, suitable applications are cardboards etc. The 60 shore is also useful in the stamping industry. The cleats under the lip also provide a good grip.



20 Series - Flexy Traction Cups



# **Order Information**

Picture	Ariticle No.	Description	Hardness Shore A	Color	Insert / Fitting	Pcs. / Box	Dimension in mm
	20030-01	Flexy 20-30		L/D - Blue	G3/8" - M - 1/8" NPSF - F	18	©28 G1/4"-F
	20030-02		30/60		G3/8" - F		
	20030-03				3/8" NPFS - F		
	20030-04		60	D - Blue	G3/8" - M - 1/8" NPSF - F		
	20030-05				G3/8" - F		
	20030-06				3/8" NPFS - F		
	20030-07		30/60	L/D - Blue	G1/4" - M		
	20030-08				G1/4" - F		
	20030-09			D. Divis	G1/4" - M		
	20030-10		60	D - Blue	G1/4" - F		20-30-M
	20040-01				G3/8" - M - 1/8" NPSF - F		
	20040-02		30/60	L/D - Blue	G3/8" - F		- 925- G%-F
	20040-03				3/8" NPFS - F		
	20040-04				G3/8" - M - 1/8" NPSF - F		2333
	20040-05	<b>.</b>	60	D - Blue	G3/8" - F		20-40 F  20-40 F  20-40-M  * 10 mm Compressed
	20040-06	Flexy 20-40			3/8" NPFS - F	10	
	20040-07		30/60	L/D - Blue	G1/4" - M		
	20040-08		30/00		G1/4" - F		
	20040-09		60	D - Blue	G1/4" - M		
	20040-10				G1/4" - F		
	20050-01	Flexy 20-50	30/60	L/D - Blue	G3/8" - M - 1/8" NPSF - F	10	20-50-F  20-50 M  20-50 M
	20050-02				G3/8" - F		
	20050-03				3/8" NPFS - F		
	20050-04		60	D - Blue	G3/8" - M - 1/8" NPSF - F		
	20050-05				G3/8" - F		
	20050-06				3/8" NPFS - F		
	20050-07		30/60	L/D - Blue	G1/4" - M		
	20050-08				G1/4" - F		
	20050-09		60	D - Blue	G1/4" - M		
	20050-10				G1/4" - F		
	20060-01	Flexy 20-60	30/60	L/D - Blue	G3/8" - M - 1/8" NPSF - F	10	628 G%-F
	20060-02				G3/8" - F		
	20060-03				3/8" NPFS - F		
	20060-04		60	D - Blue	G3/8" - M - 1/8" NPSF - F		
	20060-05				G3/8" - F		20-60 F
_	20060-06				3/8" NPFS - F		928 G3/8-M 12:00 12:00 12:00 13:00 14:00 15:00 16:0
	20060-07		30/60	L/D - Blue	G1/4" - M		
	20060-08				G1/4" - F		
	20060-09		60	D - Blue	G1/4" - M		
	20000-09						



# **Order Information**

Picture	Ariticle No.	Description	Hardness Shore A	Color	Insert / Fitting	Pcs. / Box	Dimension in mm
	20080-01	Flexy 20-80	30/60	L/D - Blue	G3/8" - M - 1/8" NPSF - F	8	20-80 F 62.76
	20080-02				G3/8" - F		
	20080-03				3/8" NPFS - F		
	20080-04		60	D - Blue	G3/8" - M - 1/8" NPSF - F		
	20080-05				G3/8" - F		
	20080-06				3/8" NPFS - F		
	20080-07		30/60	L/D - Blue	61/4// 14		
	20080-09		60	D - Blue	G1/4" - M		20-80 M * 15mm Compressed
	20100-01	Flexy 20-100	30/60	L/D - Blue	G3/8" - M - 1/8" NPSF - F	8	6102
	20100-02				G3/8" - F		
	20100-03				3/8" NPFS - F		
	20100-04		60	D - Blue	G3/8" - M - 1/8" NPSF - F		20-100 F
	20100-05				G3/8" - F		-043 - G%-M
	20100-06				3/8" NPFS - F		
	20100-07		30/60	L/D - Blue	G1/4" - M		ø102
	20100-09		60	D - Blue			20-100 M * 18mm Compressed

Please notice sizes Ø30 to Ø100 will come with molded insert. Cups will be delivered in min. quantity as per pcs/box For more information and dimensions please contact sales@flexyvacuumcups.com